

2023 年苏州市吴江区教育系统 公开招聘教师面试成绩及进入体检人员 名单公布（小学段）

2023 年苏州市吴江区教育系统公开招聘教师面试成绩及进入体检人员名单（小学段），已在面试结束后当天在面试考点张榜公布，现将面试成绩和进入体检名单公示。请进入体检环节的考生于 4 月 4 日到指定医院体检，其它事宜将在 QQ 群内通知。

苏州市吴江区教育局
2023 年 4 月 3 日

附件：2023 年苏州市吴江区教育系统公开招聘教师面试成绩
及进入体检人员名单（小学段）

准考证号	岗位 代码	笔试 总分	试讲 成绩	技能 成绩	面试 总分	总 成绩	总 名次	是否进入体检
20230302341214	023	91.0	76.93		76.93	83.97	1	进入体检
20230302345103	023	86.5	77.93		77.93	82.22	2	进入体检
20230302340929	023	84.5	78.30		78.30	81.40	3	进入体检
20230302345528	023	84.5	78.30		78.30	81.40	3	进入体检
20230302343223	023	83.5	78.13		78.13	80.82	5	进入体检
20230302342313	023	86.5	74.33		74.33	80.42	6	进入体检
20230302340419	023	78.5	81.40		81.40	79.95	7	进入体检
20230302343022	023	80.5	76.97		76.97	78.74	8	进入体检
20230302343624	023	79.0	77.67		77.67	78.34	9	进入体检
20230302341129	023	81.0	75.10		75.10	78.05	10	进入体检
20230302345211	023	77.5	77.00		77.00	77.25	11	进入体检
20230302345404	023	77.0	76.43		76.43	76.72	12	否
20230302342111	023	75.0	77.97		77.97	76.49	13	否
20230302343111	023	77.5	75.20		75.20	76.35	14	否
20230302345811	023	75.0	77.30		77.30	76.15	15	否
20230302344809	023	73.0	79.20		79.20	76.10	16	否
20230302345810	023	75.5	76.67		76.67	76.09	17	否
20230302341704	023	72.5	79.03		79.03	75.77	18	否

20230302344610	023	72.0	79.00		79.00	75.50	19	否
20230302345620	023	74.5	76.27		76.27	75.39	20	否
20230302341719	023	76.0	74.70		74.70	75.35	21	否
20230302343616	023	74.0	75.90		75.90	74.95	22	否
20230302341102	023	74.5	75.20		75.20	74.85	23	否
20230302344814	023	74.5	74.00		74.00	74.25	24	否
20230302342323	023	74.0	74.37		74.37	74.19	25	否
20230302345123	023	72.5	75.73		75.73	74.12	26	否
20230302440507	024	91.0	75.40		75.40	83.20	1	进入体检
20230302441728	024	85.5	78.87		78.87	82.19	2	进入体检
20230302444811	024	90.5	73.83		73.83	82.17	3	进入体检
20230302444514	024	87.5	75.53		75.53	81.52	4	进入体检
20230302442819	024	82.0	77.60		77.60	79.80	5	进入体检
20230302444929	024	83.5	75.03		75.03	79.27	6	进入体检
20230302441210	024	84.0	74.50		74.50	79.25	7	进入体检
20230302440814	024	80.5	77.47		77.47	78.99	8	进入体检
20230302441630	024	82.0	75.20		75.20	78.60	9	进入体检
20230302440917	024	80.5	76.37		76.37	78.44	10	进入体检
20230302441314	024	81.5	74.13		74.13	77.82	11	进入体检
20230302441423	024	79.0	75.80		75.80	77.40	12	否
20230302445703	024	79.0	75.30		75.30	77.15	13	否
20230302445026	024	80.0	74.17		74.17	77.09	14	否

20230302442307	024	74.5	79.00		79.00	76.75	15	否
20230302442123	024	78.0	75.17		75.17	76.59	16	否
20230302443023	024	78.5	74.30		74.30	76.40	17	否
20230302443324	024	75.5	76.60		76.60	76.05	18	否
20230302443109	024	78.5	73.50		73.50	76.00	19	否
20230302443406	024	78.0	73.40		73.40	75.70	20	否
20230302444018	024	76.0	74.90		74.90	75.45	21	否
20230302445018	024	76.0	74.63		74.63	75.32	22	否
20230302441006	024	75.5	74.93		74.93	75.22	23	否
20230302441514	024	76.0	73.37		73.37	74.69	24	否
20230302440816	024	74.5	74.70		74.70	74.60	25	否
20230302440526	024	78.5	70.70		70.70	74.60	26	否
20230302441023	024	77.0	72.13		72.13	74.57	27	否
20230302445402	024	75.5	73.50		73.50	74.50	28	否
20230302443504	024	74.5	73.80		73.80	74.15	29	否
20230302440414	024	76.0	72.23		72.23	74.12	30	否
20230302443530	024	75.5	72.63		72.63	74.07	31	否
20230302440401	024	77.0	70.40		70.40	73.70	32	否
20230302443623	024	74.5	72.63		72.63	73.57	33	否
20230302445301	024	74.5	71.93		71.93	73.22	34	否
20230302543322	025	93.0	75.50		75.50	84.25	1	进入体检
20230302542118	025	88.0	78.43		78.43	83.22	2	进入体检

20230302541211	025	84.0	81.10		81.10	82.55	3	进入体检
20230302544816	025	80.5	81.10		81.10	80.80	4	进入体检
20230302540820	025	85.5	75.37		75.37	80.44	5	进入体检
20230302543003	025	76.0	81.87		81.87	78.94	6	进入体检
20230302543021	025	79.5	78.37		78.37	78.94	7	进入体检
20230302540115	025	80.0	77.17		77.17	78.59	8	进入体检
20230302542405	025	78.0	78.63		78.63	78.32	9	进入体检
20230302544520	025	75.5	80.30		80.30	77.90	10	进入体检
20230302544724	025	76.0	79.17		79.17	77.59	11	进入体检
20230302545610	025	78.0	76.17		76.17	77.09	12	否
20230302541529	025	72.0	81.67		81.67	76.84	13	否
20230302540528	025	74.0	79.43		79.43	76.72	14	否
20230302544908	025	75.5	77.83		77.83	76.67	15	否
20230302544903	025	73.5	79.53		79.53	76.52	16	否
20230302545014	025	74.5	78.00		78.00	76.25	17	否
20230302543721	025	76.0	76.47		76.47	76.24	18	否
20230302544226	025	73.0	79.20		79.20	76.10	19	否
20230302540117	025	73.0	78.00		78.00	75.50	20	否
20230302544718	025	74.0	76.33		76.33	75.17	21	否
20230302541713	025	71.5	78.33		78.33	74.92	22	否
20230302545614	025	74.5	75.20		75.20	74.85	23	否
20230302544127	025	72.0	76.83		76.83	74.42	24	否

20230302542915	025	76.0	72.00		72.00	74.00	25	否
20230302544828	025	71.5	75.57		75.57	73.54	26	否
20230302543327	025	75.0	0		0	37.5	28	否
20230302640219	026	83.0	79.30		79.30	81.15	1	进入体检
20230302645212	026	80.0	77.17		77.17	78.59	2	进入体检
20230302643614	026	83.5	71.70		71.70	77.60	3	进入体检
20230302641404	026	76.0	78.47		78.47	77.24	4	进入体检
20230302644915	026	78.0	76.07		76.07	77.04	5	进入体检
20230302645521	026	73.0	81.03		81.03	77.02	6	进入体检
20230302642621	026	81.0	72.20		72.20	76.60	7	进入体检
20230302643503	026	75.0	77.73		77.73	76.37	8	进入体检
20230302641121	026	74.5	76.97		76.97	75.74	9	进入体检
20230302645310	026	73.0	77.23		77.23	75.12	10	进入体检
20230302641201	026	77.5	72.30		72.30	74.90	11	进入体检
20230302644820	026	71.5	77.60		77.60	74.55	12	否
20230302642920	026	71.0	78.03		78.03	74.52	13	否
20230302645416	026	74.0	74.97		74.97	74.49	14	否
20230302640221	026	71.5	77.20		77.20	74.35	15	否
20230302644701	026	70.5	78.00		78.00	74.25	16	否
20230302643507	026	72.0	76.37		76.37	74.19	17	否
20230302643215	026	74.5	73.10		73.10	73.80	18	否
20230302645114	026	70.5	76.83		76.83	73.67	19	否

20230302641008	026	75.0	71.83		71.83	73.42	20	否
20230302641101	026	76.5	70.30		70.30	73.40	21	否
20230302645627	026	71.0	75.43		75.43	73.22	22	否
20230302641520	026	69.0	77.13		77.13	73.07	23	否
20230302641503	026	69.5	76.13		76.13	72.82	24	否
20230302641222	026	74.0	70.37		70.37	72.19	25	否
20230302642730	026	69.0	74.77		74.77	71.89	26	否
20230302644203	026	69.5	73.67		73.67	71.59	27	否
20230302641618	026	69.0	73.73		73.73	71.37	28	否
20230302644414	026	69.5	72.47		72.47	70.99	29	否
20230302642802	026	72.0	69.23		69.23	70.62	30	否
20230302640828	026	70.5	70.17		70.17	70.34	31	否
20230302743827	027	84.5	77.37		77.37	80.94	1	进入体检
20230302745407	027	83.5	75.07		75.07	79.29	2	进入体检
20230302740430	027	76.5	80.47		80.47	78.49	3	进入体检
20230302742728	027	76.5	79.00		79.00	77.75	4	进入体检
20230302740615	027	76.0	76.90		76.90	76.45	5	进入体检
20230302740301	027	79.5	73.13		73.13	76.32	6	进入体检
20230302745708	027	73.0	79.00		79.00	76.00	7	进入体检
20230302740211	027	76.0	75.23		75.23	75.62	8	进入体检
20230302741220	027	73.0	77.77		77.77	75.39	9	进入体检
20230302741927	027	72.0	78.03		78.03	75.02	10	进入体检

20230302744823	027	70.5	78.57		78.57	74.54	11	进入体检
20230302743207	027	71.0	77.60		77.60	74.30	12	否
20230302741809	027	75.5	73.00		73.00	74.25	13	否
20230302741812	027	72.0	75.63		75.63	73.82	14	否
20230302741126	027	70.5	76.80		76.80	73.65	15	否
20230302745401	027	72.5	74.63		74.63	73.57	16	否
20230302742617	027	72.0	74.53		74.53	73.27	17	否
20230302741021	027	71.5	74.77		74.77	73.14	18	否
20230302740612	027	70.5	75.60		75.60	73.05	19	否
20230302743609	027	73.5	72.40		72.40	72.95	20	否
20230302743422	027	70.5	75.20		75.20	72.85	21	否
20230302741507	027	72.5	73.13		73.13	72.82	22	否
20230302740903	027	72.5	72.93		72.93	72.72	23	否
20230302742007	027	71.0	74.23		74.23	72.62	24	否
20230302740421	027	68.5	75.83		75.83	72.17	25	否
20230302742329	027	70.0	73.87		73.87	71.94	26	否
20230302742128	027	69.0	74.57		74.57	71.79	27	否
20230302744213	027	71.5	71.70		71.70	71.60	28	否
20230302744114	027	72.0	71.17		71.17	71.59	29	否
20230302741513	027	69.0	73.97		73.97	71.49	30	否
20230302740805	027	71.5	71.40		71.40	71.45	31	否
20230302741320	027	69.0	73.10		73.10	71.05	32	否

20230302742923	027	68.5	73.13		73.13	70.82	33	否
20230302741418	027	68.5	72.03		72.03	70.27	34	否
20230302840803	028	88.0	81.50		81.50	84.75	1	进入体检
20230302843429	028	83.5	80.90		80.90	82.20	2	进入体检
20230302843311	028	82.0	80.70		80.70	81.35	3	进入体检
20230302840309	028	80.0	81.20		81.20	80.60	4	进入体检
20230302842528	028	78.0	81.23		81.23	79.62	5	进入体检
20230302843024	028	76.0	81.07		81.07	78.54	6	进入体检
20230302845527	028	75.5	80.57		80.57	78.04	7	进入体检
20230302843206	028	76.0	79.57		79.57	77.79	8	进入体检
20230302841918	028	78.5	76.93		76.93	77.72	9	进入体检
20230302844315	028	76.5	77.83		77.83	77.17	10	进入体检
20230302845320	028	75.5	78.80		78.80	77.15	11	进入体检
20230302841627	028	76.0	77.07		77.07	76.54	12	否
20230302842513	028	73.0	79.17		79.17	76.09	13	否
20230302845514	028	74.0	77.83		77.83	75.92	14	否
20230302841721	028	72.0	79.47		79.47	75.74	15	否
20230302842901	028	72.5	78.70		78.70	75.60	16	否
20230302843923	028	72.5	77.50		77.50	75.00	17	否
20230302844930	028	71.5	78.07		78.07	74.79	18	否
20230302841506	028	73.0	76.57		76.57	74.79	19	否
20230302845425	028	70.5	78.97		78.97	74.74	20	否

20230302844324	028	69.5	79.93		79.93	74.72	21	否
20230302842226	028	71.0	78.13		78.13	74.57	22	否
20230302842224	028	72.5	76.20		76.20	74.35	23	否
20230302843408	028	73.0	75.47		75.47	74.24	24	否
20230302841724	028	72.5	75.70		75.70	74.10	25	否
20230302844329	028	69.0	79.17		79.17	74.09	26	否
20230302840312	028	72.0	76.13		76.13	74.07	27	否
20230302842026	028	70.0	78.10		78.10	74.05	28	否
20230302844808	028	69.0	79.00		79.00	74.00	29	否
20230302842605	028	70.5	77.27		77.27	73.89	30	否
20230302843518	028	68.5	79.07		79.07	73.79	31	否
20230302844423	028	68.5	78.57		78.57	73.54	32	否
20230302920619	029	97.5	79.83		79.83	88.67	1	进入体检
20230302921625	029	94.5	79.23		79.23	86.87	2	进入体检
20230302921011	029	95.5	78.20		78.20	86.85	3	进入体检
20230302921204	029	92.0	78.90		78.90	85.45	4	进入体检
20230302920229	029	91.5	79.10		79.10	85.30	5	进入体检
20230302922129	029	90.5	79.83		79.83	85.17	6	进入体检
20230302923201	029	91.5	78.37		78.37	84.94	7	进入体检
20230302923016	029	92.5	76.60		76.60	84.55	8	进入体检
20230302924110	029	87.5	80.40		80.40	83.95	9	进入体检
20230302922030	029	91.5	75.67		75.67	83.59	10	进入体检

20230302923208	029	90.5	76.50		76.50	83.50	11	进入体检
20230302921121	029	91.0	75.93		75.93	83.47	12	进入体检
20230302921919	029	87.5	77.40		77.40	82.45	13	否
20230302922114	029	85.0	79.87		79.87	82.44	14	否
20230302922709	029	85.0	79.53		79.53	82.27	15	否
20230302923509	029	86.5	77.63		77.63	82.07	16	否
20230302924119	029	82.5	80.27		80.27	81.39	17	否
20230302924208	029	85.5	76.93		76.93	81.22	18	否
20230302922228	029	87.5	74.53		74.53	81.02	19	否
20230302921819	029	83.5	78.50		78.50	81.00	20	否
20230302921930	029	92.0	70.00		70.00	81.00	21	否
20230302921028	029	85.5	76.17		76.17	80.84	22	否
20230302922530	029	86.0	75.37		75.37	80.69	23	否
20230302923704	029	82.0	79.07		79.07	80.54	24	否
20230302921626	029	83.5	77.47		77.47	80.49	25	否
20230302921323	029	84.5	76.13		76.13	80.32	26	否
20230302920928	029	85.5	74.37		74.37	79.94	27	否
20230302921321	029	82.0	77.33		77.33	79.67	28	否
20230302922512	029	86.0	73.17		73.17	79.59	29	否
20230302923724	029	82.0	76.57		76.57	79.29	30	否
20230302920318	029	82.0	76.53		76.53	79.27	31	否
20230302921613	029	85.0	71.27		71.27	78.14	32	否

20230302922419	029	82.5	72.77		72.77	77.64	33	否
20230302923229	029	82.0	72.03		72.03	77.02	34	否
20230303023018	030	89.0	81.33		81.33	85.17	1	进入体检
20230303023516	030	89.0	79.77		79.77	84.39	2	进入体检
20230303024501	030	90.5	78.13		78.13	84.32	3	进入体检
20230303020219	030	86.0	81.63		81.63	83.82	4	进入体检
20230303024315	030	85.5	80.03		80.03	82.77	5	进入体检
20230303024030	030	85.5	79.60		79.60	82.55	6	进入体检
20230303020910	030	87.5	76.63		76.63	82.07	7	进入体检
20230303022522	030	83.0	79.43		79.43	81.22	8	进入体检
20230303021007	030	81.5	80.63		80.63	81.07	9	进入体检
20230303021220	030	84.5	77.50		77.50	81.00	10	进入体检
20230303022716	030	83.0	78.47		78.47	80.74	11	进入体检
20230303024004	030	81.0	80.27		80.27	80.64	12	进入体检
20230303021318	030	78.5	81.80		81.80	80.15	13	否
20230303022514	030	79.5	80.57		80.57	80.04	14	否
20230303022302	030	78.5	80.63		80.63	79.57	15	否
20230303022902	030	93.0	65.77		65.77	79.39	16	否
20230303021702	030	87.5	70.60		70.60	79.05	17	否
20230303021210	030	78.0	80.03		80.03	79.02	18	否
20230303024404	030	85.5	71.23		71.23	78.37	19	否
20230303024005	030	80.5	76.07		76.07	78.29	20	否

20230303023524	030	76.5	79.80		79.80	78.15	21	否
20230303020405	030	81.0	75.27		75.27	78.14	22	否
20230303020701	030	81.5	74.00		74.00	77.75	23	否
20230303022826	030	79.0	76.30		76.30	77.65	24	否
20230303022110	030	80.5	74.27		74.27	77.39	25	否
20230303020618	030	76.5	77.43		77.43	76.97	26	否
20230303022504	030	79.0	74.70		74.70	76.85	27	否
20230303024220	030	78.0	75.53		75.53	76.77	28	否
20230303020717	030	81.5	71.40		71.40	76.45	29	否
20230303020304	030	85.5	64.33		64.33	74.92	30	否
20230303022525	030	78.5	70.97		70.97	74.74	31	否
20230303022316	030	85.5	63.63		63.63	74.57	32	否
20230303023826	030	76.5	71.17		71.17	73.84	33	否
20230303023630	030	78.0	66.73		66.73	72.37	34	否
20230303111512	031	91.0	83.63		83.63	87.32	1	进入体检
20230303113905	031	90.5	83.17		83.17	86.84	2	进入体检
20230303114217	031	93.5	77.93		77.93	85.72	3	进入体检
20230303112228	031	90.0	81.17		81.17	85.59	4	进入体检
20230303114711	031	89.5	78.97		78.97	84.24	5	进入体检
20230303112606	031	88.0	80.03		80.03	84.02	6	进入体检
20230303114125	031	89.5	78.50		78.50	84.00	7	进入体检
20230303113919	031	94.0	73.57		73.57	83.79	8	进入体检

20230303115729	031	89.0	78.43		78.43	83.72	9	否
20230303113422	031	88.0	78.27		78.27	83.14	10	否
20230303114308	031	87.5	77.47		77.47	82.49	11	否
20230303110923	031	87.5	76.87		76.87	82.19	12	否
20230303116002	031	89.0	75.13		75.13	82.07	13	否
20230303110622	031	89.5	74.60		74.60	82.05	14	否
20230303115421	031	88.0	75.33		75.33	81.67	15	否
20230303115726	031	87.5	75.63		75.63	81.57	16	否
20230303112419	031	88.0	74.53		74.53	81.27	17	否
20230303113012	031	87.5	74.97		74.97	81.24	18	否
20230303112116	031	88.5	73.53		73.53	81.02	19	否
20230303115903	031	88.0	73.67		73.67	80.84	20	否
20230303113324	031	89.5	72.07		72.07	80.79	21	否
20230303112302	031	88.5	72.83		72.83	80.67	22	否
20230303112916	031	88.0	72.87		72.87	80.44	23	否
20230303112507	031	87.5	73.20		73.20	80.35	24	否
20230303110929	031	88.5	70.67		70.67	79.59	25	否
20230303113425	031	87.5	71.13		71.13	79.32	26	否
20230303212623	032	91.0	79.83		79.83	85.42	1	进入体检
20230303211501	032	89.0	81.00		81.00	85.00	2	进入体检
20230303215014	032	89.5	79.67		79.67	84.59	3	进入体检
20230303210224	032	89.5	78.03		78.03	83.77	4	进入体检

20230303211728	032	93.0	74.03		74.03	83.52	5	进入体检
20230303212214	032	90.0	76.47		76.47	83.24	6	进入体检
20230303214726	032	87.5	77.67		77.67	82.59	7	进入体检
20230303210102	032	92.5	72.33		72.33	82.42	8	进入体检
20230303210925	032	90.5	73.83		73.83	82.17	9	否
20230303214521	032	87.5	76.43		76.43	81.97	10	否
20230303213003	032	86.5	77.27		77.27	81.89	11	否
20230303216023	032	89.5	73.83		73.83	81.67	12	否
20230303211802	032	89.5	73.00		73.00	81.25	13	否
20230303215219	032	87.0	75.33		75.33	81.17	14	否
20230303215113	032	89.0	73.17		73.17	81.09	15	否
20230303214027	032	86.5	73.97		73.97	80.24	16	否
20230303213803	032	87.0	73.23		73.23	80.12	17	否
20230303214019	032	91.0	69.00		69.00	80.00	18	否
20230303211413	032	87.0	72.33		72.33	79.67	19	否
20230303212405	032	87.5	71.83		71.83	79.67	20	否
20230303211930	032	88.5	70.67		70.67	79.59	21	否
20230303213424	032	86.5	72.00		72.00	79.25	22	否
20230303212329	032	90.5	67.73		67.73	79.12	23	否
20230303212222	032	86.5	71.57		71.57	79.04	24	否
20230303214510	032	86.5	70.43		70.43	78.47	25	否
20230303214421	032	86.5	69.73		69.73	78.12	26	否

20230303213703	032	88.5	61.83		61.83	75.17	27	否
20230303330812	033	77.5	81.17		81.17	79.34	1	进入体检
20230303331303	033	73.5	80.67		80.67	77.09	2	进入体检
20230303331119	033	77.0	74.97		74.97	75.99	3	否
20230303330913	033	75.5	73.97		73.97	74.74	4	否
20230303331027	033	72.0	75.50		75.50	73.75	5	否
20230303431405	034	77.5	80.17		80.17	78.84	1	进入体检
20230303431229	034	80.0	76.37		76.37	78.19	2	进入体检
20230303430914	034	76.5	79.63		79.63	78.07	3	否
20230303431428	034	76.0	76.33		76.33	76.17	4	否
20230303431410	034	73.5	78.80		78.80	76.15	5	否
20230303431115	034	75.5	73.77		73.77	74.64	6	否
20230303530714	035	73.5	80.67		80.67	77.09	1	进入体检
20230303530504	035	68.0	78.73		78.73	73.37	2	否
20230303530111	035	67.0	76.47		76.47	71.74	3	否
20230303630709	036	73.5	77.43		77.43	75.47	1	进入体检
20230303630616	036	70.5	78.07		78.07	74.29	2	否
20230303630323	036	69.5	77.87		77.87	73.69	3	否
20230303752812	037	84.5	79.33	71.00	75.17	79.84	1	进入体检
20230303753423	037	76.0	79.43	84.67	82.05	79.03	2	进入体检
20230303753413	037	75.0	83.77	80.93	82.35	78.68	3	进入体检
20230303753022	037	76.0	76.67	81.73	79.20	77.60	4	进入体检

20230303753709	037	74.5	79.40	79.50	79.45	76.98	5	否
20230303753915	037	74.5	78.50	78.17	78.34	76.42	6	否
20230303753429	037	76.0	78.50	74.90	76.70	76.35	7	否
20230303752718	037	76.0	75.27	77.50	76.39	76.20	8	否
20230303753625	037	76.0	77.67	75.03	76.35	76.18	9	否
20230303753430	037	74.0	79.67	67.60	73.64	73.82	10	否
20230303853514	038	82.0	80.57	81.33	80.95	81.48	1	进入体检
20230303852316	038	76.0	84.60	88.03	86.32	81.16	2	进入体检
20230303852920	038	83.5	76.00	80.17	78.09	80.80	3	进入体检
20230303853513	038	82.0	84.83	69.97	77.40	79.70	4	进入体检
20230303853412	038	76.0	79.87	84.07	81.97	78.99	5	否
20230303852301	038	81.0	80.00	71.93	75.97	78.49	6	否
20230303853414	038	81.5	77.67	72.50	75.09	78.30	7	否
20230303853214	038	77.0	83.87	74.87	79.37	78.19	8	否
20230303853110	038	78.5	82.50	71.33	76.92	77.71	9	否
20230303852619	038	75.5	76.43	75.17	75.80	75.65	10	否
20230303853320	038	75.5	75.40	70.57	72.99	74.25	11	否
20230303961324	039	85.0	82.87	75.87	79.37	82.19	1	进入体检
20230303962015	039	80.5	84.13	81.33	82.73	81.62	2	进入体检
20230303961109	039	80.0	77.10	81.83	79.47	79.74	3	进入体检
20230303961526	039	77.5	78.00	81.20	79.60	78.55	4	进入体检
20230303961829	039	82.5	71.97	75.07	73.52	78.01	5	进入体检

20230303962504	039	77.0	79.90	78.07	78.99	78.00	6	进入体检
20230303961702	039	77.0	80.63	76.83	78.73	77.87	7	进入体检
20230303962230	039	80.0	78.80	72.07	75.44	77.72	8	进入体检
20230303962006	039	81.0	77.50	70.13	73.82	77.41	9	否
20230303962720	039	78.0	74.73	78.50	76.62	77.31	10	否
20230303962019	039	77.5	78.90	75.07	76.99	77.25	11	否
20230303960826	039	76.5	80.57	74.50	77.54	77.02	12	否
20230303961903	039	77.5	78.13	73.13	75.63	76.57	13	否
20230303961727	039	78.0	74.30	74.97	74.64	76.32	14	否
20230303961302	039	76.5	70.03	76.90	73.47	74.99	15	否
20230303961504	039	78.0	77.53	61.53	69.53	73.77	16	否
20230303963002	039	76.5	76.53	61.70	69.12	72.81	17	否
20230303960921	039	78.0	72.27	48.40	60.34	69.17	18	否
20230303962723	039	76.5	74.90	43.33	59.12	67.81	19	否
20230304062619	040	87.5	77.87	71.53	74.70	81.10	1	进入体检
20230304061125	040	81.5	80.70	78.70	79.70	80.60	2	进入体检
20230304061919	040	84.5	78.97	72.40	75.69	80.10	3	进入体检
20230304061901	040	80.5	81.07	75.10	78.09	79.30	4	进入体检
20230304061312	040	81.0	80.23	73.93	77.08	79.04	5	进入体检
20230304062207	040	79.0	83.60	73.10	78.35	78.68	6	进入体检
20230304061319	040	80.5	82.50	70.33	76.42	78.46	7	进入体检
20230304062223	040	83.5	79.27	66.83	73.05	78.28	8	否

20230304061510	040	79.5	79.80	73.63	76.72	78.11	9	否
20230304062316	040	80.5	79.17	72.23	75.70	78.10	10	否
20230304061408	040	83.0	76.70	69.67	73.19	78.10	11	否
20230304061514	040	80.0	78.23	73.13	75.68	77.84	12	否
20230304061213	040	81.0	80.00	69.07	74.54	77.77	13	否
20230304062104	040	78.5	78.13	74.83	76.48	77.49	14	否
20230304061507	040	78.5	76.97	72.17	74.57	76.54	15	否
20230304061105	040	80.0	71.83	72.57	72.20	76.10	16	否
20230304062729	040	78.5	74.27	72.27	73.27	75.89	17	否
20230304061807	040	78.5	76.87	68.17	72.52	75.51	18	否
20230304062228	040	79.0	77.13	65.50	71.32	75.16	19	否
20230304060821	040	80.5	79.37	60.27	69.82	75.16	20	否
20230304061828	040	80.0	74.60	60.50	67.55	73.78	21	否
20230304061316	040	78.5	73.00	62.43	67.72	73.11	22	否
20230304062218	040	79.0	0	0	0	39.5	25	否
20230304152230	041	86.5	78.50	80.32	79.41	82.96	1	进入体检
20230304151310	041	80.5	82.07	86.60	84.34	82.42	2	进入体检
20230304152211	041	87.5	78.77	74.23	76.50	82.00	3	进入体检
20230304151908	041	83.5	77.50	79.59	78.55	81.03	4	否
20230304150526	041	85.0	76.38	74.80	75.59	80.30	5	否
20230304151407	041	81.0	72.33	84.27	78.30	79.65	6	否
20230304151507	041	80.5	78.27	77.00	77.64	79.07	7	否

20230304150512	041	81.5	72.67	79.60	76.14	78.82	8	否
20230304151020	041	80.5	70.67	80.67	75.67	78.09	9	否
20230304251801	042	88.5	79.00	82.30	80.65	84.58	1	进入体检
20230304250713	042	85.0	74.00	80.70	77.35	81.18	2	进入体检
20230304252226	042	83.0	74.43	83.03	78.73	80.87	3	进入体检
20230304250614	042	81.5	78.40	81.97	80.19	80.85	4	否
20230304252003	042	81.5	78.43	80.70	79.57	80.54	5	否
20230304250308	042	86.5	76.17	72.87	74.52	80.51	6	否
20230304250127	042	82.0	75.87	81.63	78.75	80.38	7	否
20230304250406	042	84.5	76.03	75.83	75.93	80.22	8	否
20230304251918	042	84.0	72.90	79.17	76.04	80.02	9	否